



**U.S. Department of Housing and Urban  
Development**  
451 Seventh Street, SW  
Washington, DC 20410  
[www.hud.gov](http://www.hud.gov)  
[espanol.hud.gov](http://espanol.hud.gov)

**Environmental Review for Activity/Project that is  
Categorically Excluded Subject to Section 58.5  
Pursuant to 24 CFR 58.35(a)**

**Project Information**

**Project Name:** 37&39-S-New

**HEROS Number:** 900000010329726

**Responsible Entity (RE):** DOVER, PO Box 475 Dover DE, 19903

**State / Local Identifier:**

**RE Preparer:** Tracey Harvey

**Certifying Office**

**r:**

**Grant Recipient (if different than Responsible Entity):** Central Delaware Habitat for Humanity, Inc.

**PHA Code:**

**Point of Contact:** Jocelyn Tice

**Consultant (if applicable):**

**Point of Contact:**

**Project Location:** 37 S New St, Dover, DE 19904

**Additional Location Information:**

This environmental review includes parcel 37 South New Street and 39 South New Street. These two parcels are contiguous.

**Direct Comments to:**

**Description of the Proposed Project [24 CFR 50.12 & 58.32; 40 CFR 1508.25]:**

Central Delaware Habitat for Humanity's (CDHFH) project, Affordable Homeownership Development in Dover, is to construct 8 new homes in downtown Dover and surrounding area within City of Dover limits. Central Delaware Habitat has been primarily building in this area since 2015 as part of a strategic revitalization effort in partnership with other non-profit and for-profit organizations under the Restoring Central Dover: Our Vision for Vitality Plan 2020-2025. This environmental review is for 2 of the 8 properties, 37 and 39 S New Street. Both of these properties are currently owned by Central Delaware Habitat for Humanity. All properties are zoned for residential construction. All homebuyers are approved prior to the start of construction. The homes will be sold to homebuyers who are 60% or below area median income with a 0% interest, 30 year mortgage, which is Habitat's model. Homes are sold at fair market value unless total development costs or affordability for the homebuyer is lower. The estimated mortgages will be \$230,000 making the home affordable for low-income residents. CDHFH has built and sold 52 homes in the City of Dover out of the total 79 homes that have been built by CHDHF since it began in 1990. CDHFH utilizes volunteers throughout the entire construction process, which reduces construction costs; however, some sub-contractors are used and managed by CDHFH staff. Central Delaware Habitat has two full-time construction staff that oversee the construction of the homes, coordinate volunteers on-site, coordinate material delivery, and schedule and coordinate sub-contractors and a Director of Homeowner Services that qualifies and works directly with the homebuyers throughout the entire process. There will not be any subrecipient for this project. The homes will be single family, one or two story homes with 3 to 4 bedrooms ranging from 1,200 - 1,600 square feet. The homes will be consistent with the local architecture and will meet or exceed local building code. The homes will be built on a slab, so there will be minimal disturbance to the ground.

**Maps, photographs, and other documentation of project location and description:**

- [Site Photos 37 39 S New.pdf](#)
- [Site Location 37 39 S New.pdf](#)
- [Final 37 and 39 South New Street ERR.pdf](#)

**Level of Environmental Review Determination:**

**Categorically Excluded per 24 CFR 58.35(a), and subject to laws and authorities at 58.5:**  
 58.35(a)(4)(i)

**Determination:**

	This categorically excluded activity/project converts to <b>EXEMPT</b> per Section 58.34(a)(12), because it does not require any mitigation for compliance with any listed statutes or authorities, nor requires any formal permit or license; <b>Funds may be committed and drawn down after certification of this part</b> for this (now) EXEMPT project; OR
--	--

✓	This categorically excluded activity/project cannot convert to Exempt status because one or more statutes or authorities listed at Section 58.5 requires formal consultation or mitigation. Complete consultation/mitigation protocol requirements, <b>publish NOI/RROF and obtain "Authority to Use Grant Funds"</b> (HUD 7015.16) per Section 58.70 and 58.71 before committing or drawing down any funds; OR
	This project is not categorically excluded OR, if originally categorically excluded, is now subject to a full Environmental Assessment according to Part 58 Subpart E due to extraordinary circumstances (Section 58.35(c)).

**Approval Documents:**

**7015.15 certified by Certifying Officer on:**

**7015.16 certified by Authorizing Officer on:**

**Funding Information**

Grant / Project Identification Number	HUD Program	Program Name
B-23-CP-DE-0349	Community Planning and Development (CPD)	Community Project Funding (CPF) Grants

**Estimated Total HUD Funded, Assisted or Insured Amount:** \$150,000.00

**Estimated Total Project Cost:** \$2,360,334.00

**Compliance with 24 CFR §50.4, §58.5 and §58.6 Laws and Authorities**

<b>Compliance Factors:</b> Statutes, Executive Orders, and Regulations listed at 24 CFR §50.4, §58.5, and §58.6	Are formal compliance steps or mitigation required?	Compliance determination (See Appendix A for source determinations)
<b>STATUTES, EXECUTIVE ORDERS, AND REGULATIONS LISTED AT 24 CFR §50.4 &amp; § 58.6</b>		

<b>Airport Hazards</b> Clear Zones and Accident Potential Zones; 24 CFR Part 51 Subpart D	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	The project site is not within 15,000 feet of a military airport or 2,500 feet of a civilian airport. The project is in compliance with Airport Hazards requirements. Central Delaware Habitat for Humanity consulted with the Airfield Manager at Dover Air Force Base on June 14, 2023 and he informed Central Delaware Habitat that the proposed projects are not within the Accident Potential Zones for Dover Air Force Base.
<b>Coastal Barrier Resources Act</b> Coastal Barrier Resources Act, as amended by the Coastal Barrier Improvement Act of 1990 [16 USC 3501]	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	This project is not located in a CBRS Unit. Therefore, this project has no potential to impact a CBRS Unit and is in compliance with the Coastal Barrier Resources Act.
<b>Flood Insurance</b> Flood Disaster Protection Act of 1973 and National Flood Insurance Reform Act of 1994 [42 USC 4001-4128 and 42 USC 5154a]	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	The structure or insurable property is not located in a FEMA-designated Special Flood Hazard Area. While flood insurance may not be mandatory in this instance, HUD recommends that all insurable structures maintain flood insurance under the National Flood Insurance Program (NFIP). The project is in compliance with flood insurance requirements.
<b>STATUTES, EXECUTIVE ORDERS, AND REGULATIONS LISTED AT 24 CFR §50.4 &amp; § 58.5</b>		
<b>Air Quality</b> Clean Air Act, as amended, particularly section 176(c) & (d); 40 CFR Parts 6, 51, 93	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	The project's county or air quality management district is in attainment status for all criteria pollutants. The project is in compliance with the Clean Air Act. See Page 5 of the attached report.
<b>Coastal Zone Management Act</b> Coastal Zone Management Act, sections 307(c) & (d)	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	This project is not located in or does not affect a Coastal Zone as defined in the state Coastal Management Plan. The project is in compliance with the Coastal Zone Management Act.
<b>Contamination and Toxic Substances</b> 24 CFR 50.3(i) & 58.5(i)(2)]	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	On-site or nearby toxic, hazardous, or radioactive substances that could affect the health and safety of project occupants or conflict with the intended use of the property were not found. The project is in compliance with

		contamination and toxic substances requirements.
<b>Endangered Species Act</b> Endangered Species Act of 1973, particularly section 7; 50 CFR Part 402	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	This project will have No Effect on listed species based on a letter of understanding, memorandum of agreement, programmatic agreement, or checklist provided by local HUD office. This project is in compliance with the Endangered Species Act. The tax parcel numbers that align with the letter for this report are: 37 S New Street - 2-05-07705-03-0800-000 39 S New Street - 2-05-07705-03-0700-000
<b>Explosive and Flammable Hazards</b> Above-Ground Tanks)[24 CFR Part 51 Subpart C	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Based on the project description the project includes no activities that would require further evaluation under this section. The project is in compliance with explosive and flammable hazard requirements. The project includes single family homes, not multi-family therefore there is no increase in residential density.
<b>Farmlands Protection</b> Farmland Protection Policy Act of 1981, particularly sections 1504(b) and 1541; 7 CFR Part 658	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	This project does not include any activities that could potentially convert agricultural land to a non-agricultural use. The project is in compliance with the Farmland Protection Policy Act.
<b>Floodplain Management</b> Executive Order 11988, particularly section 2(a); 24 CFR Part 55	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	This project does not occur in a floodplain. The project is in compliance with Executive Order 11988.
<b>Historic Preservation</b> National Historic Preservation Act of 1966, particularly sections 106 and 110; 36 CFR Part 800	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Based on the project description the project has No Potential to Cause Effects. The project is in compliance with Section 106.
<b>Noise Abatement and Control</b> Noise Control Act of 1972, as amended by the Quiet Communities Act of 1978; 24 CFR Part 51 Subpart B	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	A Noise Assessment was conducted. The noise level was acceptable: 55.0 db. See noise analysis. The project is in compliance with HUD's Noise regulation.
<b>Sole Source Aquifers</b> Safe Drinking Water Act of 1974, as amended, particularly section 1424(e); 40 CFR Part 149	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	The project is not located on a sole source aquifer area. The project is in compliance with Sole Source Aquifer requirements.
<b>Wetlands Protection</b> Executive Order 11990, particularly sections 2 and 5	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Based on the project description this project includes no activities that would require further evaluation under this

		section. The project is in compliance with Executive Order 11990.
<b>Wild and Scenic Rivers Act</b> Wild and Scenic Rivers Act of 1968, particularly section 7(b) and (c)	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	This project is not within proximity of a NWSRS river. The project is in compliance with the Wild and Scenic Rivers Act.
<b>HUD HOUSING ENVIRONMENTAL STANDARDS</b>		
<b>ENVIRONMENTAL JUSTICE</b>		
<b>Environmental Justice</b> Executive Order 12898	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	No adverse environmental impacts were identified in the project's total environmental review. The project is in compliance with Executive Order 12898.

**Mitigation Measures and Conditions [40 CFR 1505.2(c)]:**

Summarized below are all mitigation measures adopted by the Responsible Entity to reduce, avoid or eliminate adverse environmental impacts and to avoid non-compliance or non-conformance with the above-listed authorities and factors. These measures/conditions must be incorporated into project contracts, development agreements and other relevant documents. The staff responsible for implementing and monitoring mitigation measures should be clearly identified in the mitigation plan.

Law, Authority, or Factor	Mitigation Measure or Condition	Comments on Completed Measures	Mitigation Plan	Complete
---------------------------	---------------------------------	--------------------------------	-----------------	----------

**Project Mitigation Plan**

**Supporting documentation on completed measures**

## APPENDIX A: Related Federal Laws and Authorities

### Airport Hazards

General policy	Legislation	Regulation
It is HUD's policy to apply standards to prevent incompatible development around civil airports and military airfields.		24 CFR Part 51 Subpart D

1. To ensure compatible land use development, you must determine your site's proximity to civil and military airports. Is your project within 15,000 feet of a military airport or 2,500 feet of a civilian airport?

✓ No

Based on the response, the review is in compliance with this section. Document and upload the map showing that the site is not within the applicable distances to a military or civilian airport below

Yes

### Screen Summary

#### Compliance Determination

The project site is not within 15,000 feet of a military airport or 2,500 feet of a civilian airport. The project is in compliance with Airport Hazards requirements. Central Delaware Habitat for Humanity consulted with the Airfield Manager at Dover Air Force Base on June 14, 2023 and he informed Central Delaware Habitat that the proposed projects are not within the Accident Potential Zones for Dover Air Force Base.

#### Supporting documentation

[2070 - Airport Hazard Documentation.pdf](#)

[2070 - Airport Hazard 39 S New Airport Map.jpg](#)

[2070 - Airport Hazard 37 S New Airport Map.jpg](#)

Are formal compliance steps or mitigation required?

Yes

✓ No





## Coastal Barrier Resources

General requirements	Legislation	Regulation
HUD financial assistance may not be used for most activities in units of the Coastal Barrier Resources System (CBRS). See 16 USC 3504 for limitations on federal expenditures affecting the CBRS.	Coastal Barrier Resources Act (CBRA) of 1982, as amended by the Coastal Barrier Improvement Act of 1990 (16 USC 3501)	

**1. Is the project located in a CBRS Unit?**

No

Document and upload map and documentation below.

Yes

### Screen Summary

#### **Compliance Determination**

This project is not located in a CBRS Unit. Therefore, this project has no potential to impact a CBRS Unit and is in compliance with the Coastal Barrier Resources Act.

#### **Supporting documentation**

[2015 2020 Coastal Barrier Coastal Zone 37 39 S New.pdf](#)

#### **Are formal compliance steps or mitigation required?**

Yes

No

## Flood Insurance

General requirements	Legislation	Regulation
Certain types of federal financial assistance may not be used in floodplains unless the community participates in National Flood Insurance Program and flood insurance is both obtained and maintained.	Flood Disaster Protection Act of 1973 as amended (42 USC 4001-4128)	24 CFR 50.4(b)(1) and 24 CFR 58.6(a) and (b); 24 CFR 55.1(b).

**1. Does this project involve financial assistance for construction, rehabilitation, or acquisition of a mobile home, building, or insurable personal property?**

No. This project does not require flood insurance or is excepted from flood insurance.

✓ Yes

**2. Upload a FEMA/FIRM map showing the site here:**

[2046 2040 Flood Plain Flood Insurance 37 39 S New.pdf](#)

The Federal Emergency Management Agency (FEMA) designates floodplains. The [FEMA Map Service Center](#) provides this information in the form of FEMA Flood Insurance Rate Maps (FIRMs). For projects in areas not mapped by FEMA, use the best available information to determine floodplain information. Include documentation, including a discussion of why this is the best available information for the site. Provide FEMA/FIRM floodplain zone designation, panel number, and date within your documentation.

**Is the structure, part of the structure, or insurable property located in a FEMA-designated Special Flood Hazard Area?**

✓ No

Based on the response, the review is in compliance with this section.

Yes

**4. While flood insurance is not mandatory for this project, HUD strongly recommends that all insurable structures maintain flood insurance under the National Flood Insurance Program (NFIP). Will flood insurance be required as a mitigation measure or condition?**

Yes

✓ No

**Screen Summary****Compliance Determination**

The structure or insurable property is not located in a FEMA-designated Special Flood Hazard Area. While flood insurance may not be mandatory in this instance, HUD recommends that all insurable structures maintain flood insurance under the National Flood Insurance Program (NFIP). The project is in compliance with flood insurance requirements.

**Supporting documentation**

[2046 2040 Flood Plain Flood Insurance 37 39 S New\(1\).pdf](#)

**Are formal compliance steps or mitigation required?**

Yes

✓ No

## Air Quality

General requirements	Legislation	Regulation
The Clean Air Act is administered by the U.S. Environmental Protection Agency (EPA), which sets national standards on ambient pollutants. In addition, the Clean Air Act is administered by States, which must develop State Implementation Plans (SIPs) to regulate their state air quality. Projects funded by HUD must demonstrate that they conform to the appropriate SIP.	Clean Air Act (42 USC 7401 et seq.) as amended particularly Section 176(c) and (d) (42 USC 7506(c) and (d))	40 CFR Parts 6, 51 and 93

**1. Does your project include new construction or conversion of land use facilitating the development of public, commercial, or industrial facilities OR five or more dwelling units?**

Yes

No

### Air Quality Attainment Status of Project's County or Air Quality Management District

**2. Is your project's air quality management district or county in non-attainment or maintenance status for any criteria pollutants?**

No, project's county or air quality management district is in attainment status for all criteria pollutants.

Yes, project's management district or county is in non-attainment or maintenance status for the following criteria pollutants (check all that apply):

### Screen Summary

#### **Compliance Determination**

The project's county or air quality management district is in attainment status for all criteria pollutants. The project is in compliance with the Clean Air Act. See Page 5 of the attached report.

#### **Supporting documentation**

[2010 - Air Quality Non-Attainment Status - Kent County DE.pdf](#)

**Are formal compliance steps or mitigation required?**

Yes

No

## Coastal Zone Management Act

General requirements	Legislation	Regulation
Federal assistance to applicant agencies for activities affecting any coastal use or resource is granted only when such activities are consistent with federally approved State Coastal Zone Management Act Plans.	Coastal Zone Management Act (16 USC 1451-1464), particularly section 307(c) and (d) (16 USC 1456(c) and (d))	15 CFR Part 930

**1. Is the project located in, or does it affect, a Coastal Zone as defined in your state Coastal Management Plan?**

Yes

No

Based on the response, the review is in compliance with this section. Document and upload all documents used to make your determination below.

### Screen Summary

#### **Compliance Determination**

This project is not located in or does not affect a Coastal Zone as defined in the state Coastal Management Plan. The project is in compliance with the Coastal Zone Management Act.

#### **Supporting documentation**

[2015 2020 Coastal Barrier Coastal Zone 37 39 S New\(1\).pdf](#)

#### **Are formal compliance steps or mitigation required?**

Yes

No

**Contamination and Toxic Substances**

General requirements	Legislation	Regulations
It is HUD policy that all properties that are being proposed for use in HUD programs be free of hazardous materials, contamination, toxic chemicals and gases, and radioactive substances, where a hazard could affect the health and safety of the occupants or conflict with the intended utilization of the property.		24 CFR 58.5(i)(2) 24 CFR 50.3(i)

**1. Evaluate the site for contamination. Were any on-site or nearby toxic, hazardous, or radioactive substances found that could affect the health and safety of project occupants or conflict with the intended use of the property?**

✓ No

**Explain:**

Per the documentation acquired from the Delaware Department of Natural Resources and Environmental Control, the site location does not indicate any contamination at the site location.

Based on the response, the review is in compliance with this section.

Yes

Check here if an ASTM Phase I Environmental Site Assessment (ESA) report was utilized. [Note: HUD regulations does not require an ASTM Phase I ESA report for single family homes]

**Screen Summary**

**Compliance Determination**

On-site or nearby toxic, hazardous, or radioactive substances that could affect the health and safety of project occupants or conflict with the intended use of the property were not found. The project is in compliance with contamination and toxic substances requirements.

**Supporting documentation**

[2077 Contamination and Toxic Substances 37 39 S New.pdf](#)

**Are formal compliance steps or mitigation required?**

Yes

No



**Endangered Species**

General requirements	ESA Legislation	Regulations
Section 7 of the Endangered Species Act (ESA) mandates that federal agencies ensure that actions that they authorize, fund, or carry out shall not jeopardize the continued existence of federally listed plants and animals or result in the adverse modification or destruction of designated critical habitat. Where their actions may affect resources protected by the ESA, agencies must consult with the Fish and Wildlife Service and/or the National Marine Fisheries Service (“FWS” and “NMFS” or “the Services”).	The Endangered Species Act of 1973 (16 U.S.C. 1531 <i>et seq.</i> ); particularly section 7 (16 USC 1536).	50 CFR Part 402

**1. Does the project involve any activities that have the potential to affect species or habitats?**

No, the project will have No Effect due to the nature of the activities involved in the project.

- ✓ No, the project will have No Effect based on a letter of understanding, memorandum of agreement, programmatic agreement, or checklist provided by local HUD office

Explain your determination:

Per a letter from the Department of Natural Resources and Environmental Control Division of Fish & Wildlife, the project site will have no effect on endangered species.

Based on the response, the review is in compliance with this section. Document and upload all documents used to make your determination below.

Yes, the activities involved in the project have the potential to affect species and/or habitats.

**Screen Summary**

**Compliance Determination**

This project will have No Effect on listed species based on a letter of understanding, memorandum of agreement, programmatic agreement, or checklist provided by local HUD office. This project is in compliance with the Endangered Species Act. The tax

parcel numbers that align with the letter for this report are: 37 S New Street - 2-05-07705-03-0800-000 39 S New Street - 2-05-07705-03-0700-000

**Supporting documentation**

[2025 Endangered Species.pdf](#)

**Are formal compliance steps or mitigation required?**

Yes

No

## Explosive and Flammable Hazards

General requirements	Legislation	Regulation
HUD-assisted projects must meet Acceptable Separation Distance (ASD) requirements to protect them from explosive and flammable hazards.	N/A	24 CFR Part 51 Subpart C

**1. Is the proposed HUD-assisted project itself the development of a hazardous facility (a facility that mainly stores, handles or processes flammable or combustible chemicals such as bulk fuel storage facilities and refineries)?**

No

Yes

**2. Does this project include any of the following activities: development, construction, rehabilitation that will increase residential densities, or conversion?**

No

Based on the response, the review is in compliance with this section.

Yes

### Screen Summary

#### **Compliance Determination**

Based on the project description the project includes no activities that would require further evaluation under this section. The project is in compliance with explosive and flammable hazard requirements. The project includes single family homes, not multi-family therefore there is no increase in residential density.

#### **Supporting documentation**

**Are formal compliance steps or mitigation required?**

Yes

No



## Farmlands Protection

General requirements	Legislation	Regulation
The Farmland Protection Policy Act (FPPA) discourages federal activities that would convert farmland to nonagricultural purposes.	Farmland Protection Policy Act of 1981 (7 U.S.C. 4201 et seq.)	<a href="#">7 CFR Part 658</a>

1. Does your project include any activities, including new construction, acquisition of undeveloped land or conversion, that could convert agricultural land to a non-agricultural use?

Yes

✓ No

If your project includes new construction, acquisition of undeveloped land or conversion, explain how you determined that agricultural land would not be converted:

The project sites are not located on agricultural land.

Based on the response, the review is in compliance with this section. Document and upload all documents used to make your determination below.

### Screen Summary

#### Compliance Determination

This project does not include any activities that could potentially convert agricultural land to a non-agricultural use. The project is in compliance with the Farmland Protection Policy Act.

#### Supporting documentation

[2035 Farm Preservation 37 39 S New St.pdf](#)

Are formal compliance steps or mitigation required?

Yes

✓ No

## Floodplain Management

General Requirements	Legislation	Regulation
Executive Order 11988, Floodplain Management, requires federal activities to avoid impacts to floodplains and to avoid direct and indirect support of floodplain development to the extent practicable.	Executive Order 11988	24 CFR 55

**1. Do any of the following exemptions apply? Select the applicable citation? [only one selection possible]**

- 55.12(c)(3)
- 55.12(c)(4)
- 55.12(c)(5)
- 55.12(c)(6)
- 55.12(c)(7)
- 55.12(c)(8)
- 55.12(c)(9)
- 55.12(c)(10)
- 55.12(c)(11)

None of the above

**2. Upload a FEMA/FIRM map showing the site here:**

[2046 2040 Flood Plain Flood Insurance 37 39 S New.pdf](#)

The Federal Emergency Management Agency (FEMA) designates floodplains. The FEMA Map Service Center provides this information in the form of FEMA Flood Insurance Rate Maps (FIRMs). For projects in areas not mapped by FEMA, use **the best available information** to determine floodplain information. Include documentation, including a discussion of why this is the best available information for the site.

**Does your project occur in a floodplain?**

No

Based on the response, the review is in compliance with this section.

Yes

**Screen Summary**

**Compliance Determination**

This project does not occur in a floodplain. The project is in compliance with Executive Order 11988.

**Supporting documentation**

[2046 2040 Flood Plain Flood Insurance 37 39 S New\(2\).pdf](#)

**Are formal compliance steps or mitigation required?**

Yes

No

## Historic Preservation

General requirements	Legislation	Regulation
Regulations under Section 106 of the National Historic Preservation Act (NHPA) require a consultative process to identify historic properties, assess project impacts on them, and avoid, minimize, or mitigate adverse effects	Section 106 of the National Historic Preservation Act (16 U.S.C. 470f)	36 CFR 800 "Protection of Historic Properties" <a href="https://www.govinfo.gov/content/pkg/CFR-2012-title36-vol3/pdf/CFR-2012-title36-vol3-part800.pdf">https://www.govinfo.gov/content/pkg/CFR-2012-title36-vol3/pdf/CFR-2012-title36-vol3-part800.pdf</a>

### **Threshold**

#### **Is Section 106 review required for your project?**

- No, because the project consists solely of activities listed as exempt in a Programmatic Agreement (PA ). (See the PA Database to find applicable PAs.)
- ✓ No, because the project consists solely of activities included in a No Potential to Cause Effects memo or other determination [36 CFR 800.3(a)(1)].
- Yes, because the project includes activities with potential to cause effects (direct or indirect).

#### **Threshold (b). Document and upload the memo or explanation/justification of the other determination below:**

Delaware's State Historic Preservation Office reviewed the project and determined there is no adverse effect. See attached form.

Based on the response, the review is in compliance with this section.

### **Screen Summary**

#### **Compliance Determination**

Based on the project description the project has No Potential to Cause Effects. The project is in compliance with Section 106.

#### **Supporting documentation**

[2050 - Historic Preservation 37 39.pdf](#)  
[2050 Historic Form - No Adverse Effect.pdf](#)



**Are formal compliance steps or mitigation required?**

Yes

✓ No

## Noise Abatement and Control

General requirements	Legislation	Regulation
HUD's noise regulations protect residential properties from excessive noise exposure. HUD encourages mitigation as appropriate.	Noise Control Act of 1972  General Services Administration Federal Management Circular 75-2: "Compatible Land Uses at Federal Airfields"	Title 24 CFR 51 Subpart B

**1. What activities does your project involve? Check all that apply:**

- New construction for residential use

NOTE: HUD assistance to new construction projects is generally prohibited if they are located in an Unacceptable zone, and HUD discourages assistance for new construction projects in Normally Unacceptable zones. See 24 CFR 51.101(a)(3) for further details.

Rehabilitation of an existing residential property

A research demonstration project which does not result in new construction or reconstruction

An interstate land sales registration

Any timely emergency assistance under disaster assistance provision or appropriations which are provided to save lives, protect property, protect public health and safety, remove debris and wreckage, or assistance that has the effect of restoring facilities substantially as they existed prior to the disaster  
None of the above

**4. Complete the Preliminary Screening to identify potential noise generators in the vicinity (1000' from a major road, 3000' from a railroad, or 15 miles from an airport).**

**Indicate the findings of the Preliminary Screening below:**

There are no noise generators found within the threshold distances above.

- ✓ Noise generators were found within the threshold distances.

5. **Complete the Preliminary Screening to identify potential noise generators in the**

- ✓ Acceptable: (65 decibels or less; the ceiling may be shifted to 70 decibels in circumstances described in §24 CFR 51.105(a))

Indicate noise level here: 55

Based on the response, the review is in compliance with this section. Document and upload noise analysis, including noise level and data used to complete the analysis below.

Normally Unacceptable: (Above 65 decibels but not exceeding 75 decibels; the floor may be shifted to 70 decibels in circumstances described in §24 CFR 51.105(a))

Unacceptable: (Above 75 decibels)

**Screen Summary**

**Compliance Determination**

A Noise Assessment was conducted. The noise level was acceptable: 55.0 db. See noise analysis. The project is in compliance with HUD's Noise regulation.

**Supporting documentation**

[2085 - Noise Assessment 37 39 S New.pdf](#)

**Are formal compliance steps or mitigation required?**

Yes

- ✓ No

## Sole Source Aquifers

General requirements	Legislation	Regulation
The Safe Drinking Water Act of 1974 protects drinking water systems which are the sole or principal drinking water source for an area and which, if contaminated, would create a significant hazard to public health.	Safe Drinking Water Act of 1974 (42 U.S.C. 201, 300f et seq., and 21 U.S.C. 349)	40 CFR Part 149

1. Does the project consist solely of acquisition, leasing, or rehabilitation of an existing building(s)?

Yes

No

2. Is the project located on a sole source aquifer (SSA)?

A sole source aquifer is defined as an aquifer that supplies at least 50 percent of the drinking water consumed in the area overlying the aquifer. This includes streamflow source areas, which are upstream areas of losing streams that flow into the recharge area.

< No

Based on the response, the review is in compliance with this section. Document and upload documentation used to make your determination, such as a map of your project (or jurisdiction, if appropriate) in relation to the nearest SSA and its source area, below.

Yes

3. Does your region have a memorandum of understanding (MOU) or other working agreement with Environmental Protection Agency (EPA) for HUD projects impacting a sole source aquifer?

Yes

No

**Screen Summary**

**Compliance Determination**

The project is not located on a sole source aquifer area. The project is in compliance with Sole Source Aquifer requirements.

**Supporting documentation**

[2055 Sole Source Aquifers 37 39 S New.pdf](#)

**Are formal compliance steps or mitigation required?**

Yes

No

## Wetlands Protection

General requirements	Legislation	Regulation
Executive Order 11990 discourages direct or indirect support of new construction impacting wetlands wherever there is a practicable alternative. The Fish and Wildlife Service's National Wetlands Inventory can be used as a primary screening tool, but observed or known wetlands not indicated on NWI maps must also be processed Off-site impacts that result in draining, impounding, or destroying wetlands must also be processed.	Executive Order 11990	24 CFR 55.20 can be used for general guidance regarding the 8 Step Process.

**1. Does this project involve new construction as defined in Executive Order 11990, expansion of a building's footprint, or ground disturbance? The term "new construction" shall include draining, dredging, channelizing, filling, diking, impounding, and related activities and any structures or facilities begun or authorized after the effective date of the Order**

No

Based on the response, the review is in compliance with this section.

Yes

### Screen Summary

#### **Compliance Determination**

Based on the project description this project includes no activities that would require further evaluation under this section. The project is in compliance with Executive Order 11990.

#### **Supporting documentation**

[2060 Wetlands Protection Map 37 39 S New.pdf](#)

**Are formal compliance steps or mitigation required?**

Yes

No

## Wild and Scenic Rivers Act

General requirements	Legislation	Regulation
The Wild and Scenic Rivers Act provides federal protection for certain free-flowing, wild, scenic and recreational rivers designated as components or potential components of the National Wild and Scenic Rivers System (NWSRS) from the effects of construction or development.	The Wild and Scenic Rivers Act (16 U.S.C. 1271-1287), particularly section 7(b) and (c) (16 U.S.C. 1278(b) and (c))	36 CFR Part 297

### 1. Is your project within proximity of a NWSRS river?

No

Yes, the project is in proximity of a Designated Wild and Scenic River or Study Wild and Scenic River.

Yes, the project is in proximity of a Nationwide Rivers Inventory (NRI) River.

### Screen Summary

#### **Compliance Determination**

This project is not within proximity of a NWSRS river. The project is in compliance with the Wild and Scenic Rivers Act.

#### **Supporting documentation**

[2065 - Wild Scenic Rivers Map 37 39 S New.pdf](#)

#### **Are formal compliance steps or mitigation required?**

Yes

No

## Environmental Justice

General requirements	Legislation	Regulation
Determine if the project creates adverse environmental impacts upon a low-income or minority community. If it does, engage the community in meaningful participation about mitigating the impacts or move the project.	Executive Order 12898	

**HUD strongly encourages starting the Environmental Justice analysis only after all other laws and authorities, including Environmental Assessment factors if necessary, have been completed.**

**1. Were any adverse environmental impacts identified in any other compliance review portion of this project's total environmental review?**

Yes

No

Based on the response, the review is in compliance with this section.

### Screen Summary

#### **Compliance Determination**

No adverse environmental impacts were identified in the project's total environmental review. The project is in compliance with Executive Order 12898.

#### **Supporting documentation**

[Final 37 and 39 South New Street ERR\(1\).pdf](#)

**Are formal compliance steps or mitigation required?**

Yes

No